

Package: saymaker (via r-universe)

October 5, 2026

Type Package
Title Generate AI Images and Video with 'SayMaker'
Version 0.1.0
Description A small client for the 'SayMaker' image and video service
 <<https://saymaker.ai>>. One API key runs text-to-image, photo
 edits and text- or image-to-video across Veo 3.1, Kling 3.0,
 Seedance 2.0, MiniMax H3, Nano Banana 2, GPT Image 2.5 and
 Seedream 5.0 on your own credits.
License MIT + file LICENSE
URL https://saymaker.ai/?utm_source=r-universe&utm_medium=package,
 <https://github.com/hanshs474/saymaker-r>
BugReports <https://github.com/hanshs474/saymaker-r/issues>
Imports curl,jsonlite
Encoding UTF-8
Config/pak/sysreqs libssl-dev
Repository <https://hanshs474.r-universe.dev>
Date/Publication 2026-10-05 13:18:30 UTC
RemoteUrl <https://github.com/hanshs474/saymaker-r>
RemoteRef HEAD
RemoteSha 32f18a5ba9de328bc12cd80d0a84afb6e5005d03

Contents

saymaker_generate	2
saymaker_generate_video	3
Index	4

saymaker_generate	<i>Generate or edit an image</i>
-------------------	----------------------------------

Description

Generates one image on SayMaker (<https://saymaker.ai>), or edits image_url. Failures signal a condition of class saymaker_auth, saymaker_quota, saymaker_plan, saymaker_busy, saymaker_rejected or saymaker_timeout.

Usage

```
saymaker_generate(prompt, image_url = NULL, model = NULL, aspect_ratio = NULL,  
api_key = NULL, poll_seconds = 5, timeout_seconds = 4500)
```

Arguments

prompt	What to draw, or for an edit the change and what must stay.
image_url	Public http(s) url of a photo to edit.
model	Model id, e.g. "gpt-image-2-5-flare". Defaults to "saymaker-image-v1", or "nano-banana-2-lite" for an edit.
aspect_ratio	One of "1:1", "16:9", "9:16", "4:3", "3:4".
api_key	Key from https://saymaker.ai/settings/apikeys ; defaults to the SAY-MAKER_API_KEY environment variable.
poll_seconds	How often the run is polled.
timeout_seconds	Deadline for the whole call; the default covers the free-account queue.

Value

The URL of the finished image.

Examples

```
## Not run:  
saymaker_generate("a paper-cut layered mountain range at dusk")  
  
## End(Not run)
```

`saymaker_generate_video`*Generate a video clip*

Description

Generates one clip on SayMaker (<https://saymaker.ai>), or animates `image_url`.

Usage

```
saymaker_generate_video(prompt, image_url = NULL, model = "minimax-h3-fast", duration = NULL,  
    resolution = NULL, aspect_ratio = "16:9", sound = TRUE, api_key = NULL,  
    poll_seconds = 10, timeout_seconds = 5400)
```

Arguments

<code>prompt</code>	The shot: what happens, where, and how the camera moves.
<code>image_url</code>	Public http(s) url of a first frame to animate.
<code>model</code>	Model id. "minimax-h3-fast" runs on a free account; "veo-3-1", "klings-3-0" and "seedance-2" need a plan or a credit pack.
<code>duration</code>	Clip length in seconds, where the model offers a choice.
<code>resolution</code>	e.g. "480p", "720p", "1080p".
<code>aspect_ratio</code>	e.g. "16:9", "9:16".
<code>sound</code>	Ask for sound where the model writes it in the same pass.
<code>api_key</code>	Key from https://saymaker.ai/settings/apikeys ; defaults to SAYMAKER_API_KEY.
<code>poll_seconds</code>	How often the run is polled.
<code>timeout_seconds</code>	Deadline for the whole call.

Value

The URL of the finished clip.

Examples

```
## Not run:  
saymaker_generate_video("a fox trotting through fresh snow at dawn", duration = 6)  
  
## End(Not run)
```

Index

saymaker_generate, [2](#)
saymaker_generate_video, [3](#)